

L Number	Hits	Search Text	DB	Time stamp
3	36	@ad<20000906 and download with agent and music	USPAT; US-PGPUB; IBM TDB	2004/03/04 08:02
4	43	@ad<20000906 and (music video audio) with distribute and download with (agent module)	USPAT; US-PGPUB; IBM TDB	2004/03/04 07:40
5	1	@ad<20000906 and (download) with (module agent) with confirm	USPAT; US-PGPUB; IBM TDB	2004/03/04 07:41
6	2	@ad<20000906 and (download\$2) with (module agent) with confirm	USPAT; US-PGPUB; IBM TDB	2004/03/04 07:42
7	4	@ad<20000906 and (download\$2) with (applet module agent) with confirm	USPAT; US-PGPUB; IBM TDB	2004/03/04 07:42
8	20	@ad<20000906 and (download\$2) with (applet program module agent) with confirm	USPAT; US-PGPUB; IBM TDB	2004/03/04 07:42
13	150	@ad<20000906 and 380/283.ccls.	USPAT; US-PGPUB; IBM TDB	2004/03/04 08:02
14	41	@ad<20000906 and 713/154.ccls.	USPAT; US-PGPUB; IBM TDB	2004/03/04 08:02
-	3480	@ad<20000906 and packet and payload and header	USPAT; US-PGPUB; IBM TDB	2004/03/03 09:09
-	2317	@ad<20000906 and packet and payload and header and stream\$3	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:10
-	97	((@ad<20000906 and packet and payload and header and stream\$3) and encrypt\$7 with payload	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:26
-	8	((@ad<20000906 and packet and payload and header and stream\$3) and encrypt\$7 with payload) and key with negotiate	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:11
-	11	((@ad<20000906 and packet and payload and header and stream\$3) and encrypt\$7 with payload) and parse	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:29
-	6	((@ad<20000906 and packet and payload and header and stream\$3) and encrypt\$7 with payload) and key) and player	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:29
-	86	((@ad<20000906 and packet and payload and header and stream\$3) and encrypt\$7 with payload) and key	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:35
-	25	((@ad<20000906 and packet and payload and header and stream\$3) and encrypt\$7 with payload) and server and client	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:44
-	145	@ad<20000906 and 380/42.ccls.	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:46
-	95	@ad<20000906 and 713/160.ccls.	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:45
-	2	((@ad<20000906 and 380/42.ccls.) and (@ad<20000906 and 713/160.ccls.)	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:45
-	3	((@ad<20000906 and 380/42.ccls.) and encrypt\$7 with payload	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:55
-	4	5796836.URPN.	USPAT	2004/03/01 14:53
-	9	("4058673"   "4142240"   "4160120"   "4447672"   "4731843"   "4897876"   "5148485"   "5345508"   "5381480").PN.	USPAT	2004/03/01 14:58
-	1	5,825,891.pn.	USPAT; US-PGPUB; IBM TDB	2004/03/01 14:55
-	141	@ad<20000906 and media with stream and packet with encrypt\$5	USPAT	2004/03/01 14:58

-	52	(@ad<20000906 and media with stream and packet with encrypt\$5) and header and payload	USPAT	2004/03/01 15:14
-	21491	shim	USPAT	2004/03/01 15:14
-	19860	@ad<20000906 and "shim"	USPAT	2004/03/01 15:14
-	13016	@ad<20000906 and shim!	USPAT	2004/03/01 15:14
-	16	(@ad<20000906 and shim!) and encryption	USPAT	2004/03/01 15:21
-	82	@ad<20000906 and rtsp	USPAT	2004/03/01 15:22
-	33	(@ad<20000906 and rtsp) and encrypt\$6	USPAT	2004/03/01 15:48
-	33	((@ad<20000906 and rtsp) and encrypt\$6) and media	USPAT	2004/03/01 15:22
-	0	(@ad<20000906 and rtsp) and encrypt\$6 with payload	USPAT	2004/03/01 15:48
-	2	@ad<20000906 and streaming with (media audio video) and encrypt\$6 with payload	USPAT	2004/03/01 15:52
-	251	@ad<20000906 and streaming with (media audio video) and encrypt\$6	USPAT	2004/03/01 15:52
-	95	@ad<20000906 and streaming with (media audio video) and encrypt\$6 same packet	USPAT	2004/03/01 15:52
-	3096989	@ad<20000906	USPAT; US-PGPUB; IBM TDB	2004/03/02 12:54
-	0	6424717.PN. and stream and encrypt with (payload data) same header and media	USPAT; US-PGPUB; IBM TDB	2004/03/02 12:57
-	1	6424717.PN. and stream and encrypt\$5 with (payload data) same header and media	USPAT; US-PGPUB; IBM TDB	2004/03/02 12:57
-	348	@ad<20000906 and stream and encrypt\$5 with (payload data) same header and media	USPAT; US-PGPUB; IBM TDB	2004/03/02 12:58
-	83	@ad<20000906 and stream and encrypt with (payload data) same header and media	USPAT; US-PGPUB; IBM TDB	2004/03/02 12:58
-	7	@ad<20000906 and stream and encrypt with (payload) same header and media	USPAT; US-PGPUB; IBM TDB	2004/03/02 13:02
-	30	@ad<20000906 and stream and encrypt\$5 with (payload) same header and media	USPAT; US-PGPUB; IBM TDB	2004/03/02 12:59
-	0	@ad<20000906 and stream and encrypt with (payload) same header and media not medium	USPAT; US-PGPUB; IBM TDB	2004/03/02 13:01
-	2	@ad<20000906 and (audio video sound movie music) with stream\$3 and encrypt with (payload) same header	USPAT; US-PGPUB; IBM TDB	2004/03/02 13:02
-	19925	@ad<20000906 and shim	USPAT; US-PGPUB; IBM TDB	2004/03/03 09:09
-	19925	@ad<20000906 and "shim"	USPAT; US-PGPUB; IBM TDB	2004/03/03 09:09
-	13066	@ad<20000906 and shim!	USPAT; US-PGPUB; IBM TDB	2004/03/03 09:09
-	0	@ad<20000906 and shim! and encrypt\$6	USPAT; US-PGPUB; IBM TDB	2004/03/03 09:09
-	37	@ad<20000906 and shim! and encrypt\$6	USPAT; US-PGPUB; IBM TDB	2004/03/03 09:11
-	0	@ad<20000906 and client with compromised with module	USPAT; US-PGPUB; IBM TDB	2004/03/03 09:11
-	42	@ad<20000906 and client with compromised	USPAT; US-PGPUB; IBM TDB	2004/03/03 09:11
-	24	@ad<20000906 and client with compromised and encrypt\$6	USPAT; US-PGPUB; IBM TDB	2004/03/03 09:12

-	1	@ad<20000906 and client with compromised and encrypt\$6 and (download\$2 sent send transmit\$3 tranfer\$3) with (agent module applet)	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:12
-	6	@ad<20000906 and client with compromised and encrypt\$6 and (download\$2 sent send transmit\$3 tranfer\$3) with (agent module applet software)	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:14
-	255	@ad<20000906 and stream with (terminate end stop cancel) same key	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:15
-	4	@ad<20000906 and stream with (terminate end stop cancel) same key with (incorrect invalid wrong outdated old)	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:16
-	41	@ad<20000906 and stream with (terminate stop cancel) same key	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:20
-	657	@ad<20000906 and determine with key with current	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:20
-	1	@ad<20000906 and determine with key with current and decrypt\$6 with module same client	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:20
-	16	@ad<20000906 and determine with key with current and decrypt\$6 with module	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:23
-	3	@ad<20000906 and determine with key adj valid and decrypt\$6 with module	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:25
-	18	@ad<20000906 and determine with key with current with valid	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:29
-	2	@ad<20000906 and checks with key with current with valid	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:29
-	622	@ad<20000906 and (check determine) with key with valid	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:29
-	238	@ad<20000906 and (check determine) with key with valid and encrypt\$6	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:30
-	17	@ad<20000906 and (check determine) with key with valid and encrypt\$6 and client with module	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:30
-	41	@ad<20000906 and (check determine) with key with valid and encrypt\$6 and client with (module applet application agent)	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:35
-	20	@ad<20000906 and client with decryption with module	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:50
-	106	wiser.inv.	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:49
-	34	wiser.inv. and content	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:49
-	2	wiser.inv. and 713/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:49
-	296	@ad<20000906 and stream\$3 with (audio video) and client with module	USPAT; US-PGPUB; IBM_TDB	2004/03/03 09:51
-	31	@ad<20000906 and stream\$3 with (audio video) and client with module and download with module	USPAT; US-PGPUB; IBM_TDB	2004/03/03 15:22
-	11	@ad<20000906 and invalid with encryption with key	USPAT; US-PGPUB; IBM_TDB	2004/03/03 17:15
-	3	@ad<20000906 and download with decryption with module	USPAT; US-PGPUB; IBM_TDB	2004/03/03 16:23

-	36	@ad<20000906 and content with protection and download with module	USPAT; US-PGPUB; IBM TDB	2004/03/03 16:23
-	3	@ad<20000906 and content same player and unencrypted with determine	USPAT; US-PGPUB; IBM TDB	2004/03/03 17:16
-	8	@ad<20000906 and player and unencrypted with determine	USPAT; US-PGPUB; IBM TDB	2004/03/03 17:16
-	51	@ad<20000906 and media and unencrypted with determine	USPAT; US-PGPUB; IBM TDB	2004/03/03 17:17
-	19	@ad<20000906 and audio and unencrypted with determine	USPAT; US-PGPUB; IBM TDB	2004/03/03 17:18
-	480	@ad<20000906 and audio and unencrypted	USPAT; US-PGPUB; IBM TDB	2004/03/03 17:18
-	6	@ad<20000906 and audio and unencrypted with play	USPAT; US-PGPUB; IBM TDB	2004/03/03 17:40
-	13	@ad<20000906 and download with module same confirmation	USPAT; US-PGPUB; IBM TDB	2004/03/03 17:42
-	130	@ad<20000906 and download with module same signal	USPAT; US-PGPUB; IBM TDB	2004/03/03 17:42
-	1	@ad<20000906 and download with module same signal and content with protect\$5	USPAT; US-PGPUB; IBM TDB	2004/03/03 17:42
-	21	@ad<20000906 and download with module same signal and 713/\$.ccls.	USPAT; US-PGPUB; IBM TDB	2004/03/03 17:43
-	35	@ad<20000906 and distribute with content and download with module	USPAT; US-PGPUB; IBM TDB	2004/03/04 07:23